



GP ELECTRONIC RETAIL SCALES



ED. 2.0 EN 01/2010

Price List

GP1 "MS" : retail scale equipped with a printer and a peel-off mechanism.....	page	1
GP1 "TC" : scale equipped with a 150mm/sec printer and paper cutter	page	2
GP1 "LP" : scale fitted with a 150mm/sec printer/labeller	page	3
GP2 "SB" : self-service scale with 160-key keypad	page	4
GP3 "LP" : scale fitted with a printer/labeller and paper cutter	page	5
GP4 "LP" : scale fitted with a 150mm/sec labeller	page	6
GP4 "LS12" : self-selection scales with 12-key keypad.....	page	8

GP1 "MS" SERIES RETAIL SCALE equipped with a printer and a peel-off mechanism



Capacity kg	6 / 15	15 / 30	12 / 30
Division g	2 / 5	5 / 10	2 / 5

I/O SECTION

- n° 2 RS 232 interfaces for connection to: PC, modem, scanner, cash register (the best known brands and models).
- n° 1 RS 485 interface for connection with up to 16 GP series' scales in a network.
- 868MHz radio module (optional) for connection to more than 5 scales in the local network.

Scale is equipped with a high resolution thermal printer and a built-in peel-off mechanism for adhesive labels, a large-sized stainless steel plate, and a wide range of selectable functions.

MAIN FEATURES

- Dual alphanumeric backlit blue LCD display, operator side and client side. High resolution and visibility even in poor lighting conditions, line for advertising messages or queue-system.
- Fast and accurate mechanical and touch keyboard, with 80 keys whose 40 PLU's with direct access (80 with dual access) and 40 functional keys.
- Thermal printer and peel-off mechanism for adhesive paper with 59.5 mm width, and outside diameter of 80 mm. Print speed of 100 mm / sec.
Print width: up to 55 mm.
- Structure:
 - Die-cast aluminium base;
 - Stainless steel structure and high quality polymer.
- Large-sized plate in stainless steel, with scotch brite finishing. Dimensions: 370 x 310 mm (L x W).
- 230Vac power supply, equipped with built-in batteries, rechargeable emergency 24Vdc.

FUNCTIONS

- Selectable operating modes: ticket, pricing-labelling, single article or self-service.
- Up to 20 programmable and selectable operators.
- Database of 3000 PLU's, 80 with direct access.
- Up to 50 PLU groups.
- Database of 8 possible preset tares and memory with up to 20 active tares selectable by the operators.
- Database of 300 ingredient lists.
- Database of 50 traceable products.
- Up to 4 VAT rates with a strips function.
- Up to 10 warning messages, configurable display mode.
- Up to 8 programmable payment modes.
- Storage and reopening of daily tickets.
- Cancellations, discounts, special offers, hourly sales reports, customer management.
- Total per seller, PLU and article groups in the short and long term.
- PLU priority.
- Prints logos, EAN13 and EAN8 bar codes, price tags with the total, lot, ice.
- Ability to program up to 3 password levels.
- Management of logos and firmware by the software

OPTIONS AND ACCESSORIES

- Bowl-shaped pan.
- Radio Module Kit for the LAN connection.
- Cash register drawer opening.
- Column with customised height.

Available Versions

Code	Description	Price (€)
710510	Retail scale GP1MS, 6/15kg capacity, 2/5g division, 230Vac external power supply. Dual LCD backlit display, 80 keys keypad. Internal rechargeable buffer battery. Support column with keyboard, display and built-in printer.	2.280.00
710310	Retail scale GP1MS, 15/30kg capacity, 5/10g division, 230Vac external power supply. Dual LCD backlit display, 80 keys keypad. Internal rechargeable buffer battery. Support column with keyboard, display and built-in printer.	2.280.00
710110	Retail scale GP1MS, 12/30kg capacity, 2/5g division, 230Vac external power supply. Dual LCD backlit display, 80 keys keypad. Internal rechargeable buffer battery. Support column with keyboard, display and built-in printer.	2.410.00

Option (to be specified when ordering the scale)

Code	Description	Price (€)
810000	bowl-shaped pan RQ4S for scales with column.	90.00
810040	Radio Module Kit 868MHz factory fitted.	250.00
810170	Opening of cash register drawer.	70.00
810190	Column height to measure.	250.00
810050	Ethernet interface kit.	260.00

GP1 SERIES "TC" RETAIL SCALE equipped with a 150mm/sec printer and paper cutter



Ideal scale for medium and large businesses; very resistant, made with high quality materials, accurate and reliable. Equipped with printer along with paper cutter, and featured by high speed printing (up to 150mm/sec). Its high connectivity allows users to network up to 16 scales.

MAIN FEATURES

- Dual alphanumeric backlit blue LCD display, operator side and client side. High resolution and visibility even in poor lighting conditions, line for advertising messages or queue-system.
- Fast and accurate mechanical and touch keyboard, with 80 keys whose 40 PLU's with direct access (80 with dual access) and 40 functional keys.
- Thermal printer/labeller with automatic paper cutter (using with thermal paper). Print speed up to 150mm/sec, high quality printing, 8 dots/mm resolution. Print width up to 55 mm. Paper roll width max. 59.5 mm, outside diameter 80 mm.
- Extractable printer unit to make easier the paper charge.
- Structure:
 - Die-cast aluminium base;
 - Stainless steel structure and high quality polymer.
- Large-sized plate in stainless steel, with scotch brite finishing. Dimensions: 370 x 310 mm (L x W).
- 230Vac power supply, equipped with built-in batteries, rechargeable emergency 24Vdc.

FUNCTIONS

- Selectable operating modes: ticket, pricing-labelling, single article or self-service.
- Up to 20 programmable and selectable operators.
- Database of 3000 PLU's, 80 with direct access.
- Up to 50 PLU groups.
- Database of 8 possible preset tares and memory with up to 20 active tares selectable by the operators.
- Database of 300 ingredient lists.
- Database of 50 traceable products.
- Up to 4 VAT rates with a strips function.
- Up to 10 warning messages, configurable display mode.
- Up to 8 programmable payment modes.
- Storage and reopening of daily tickets.
- Cancellations, discounts, special offers, hourly sales reports, customer management.
- Total per seller, PLU and article groups in the short and long term.
- PLU priority.
- Prints logos, EAN13 and EAN8 bar codes, price tags with the total, lot, ice.
- Ability to program up to 3 password levels.
- Management of logos and firmware by the software

Capacity kg	6 / 15	15 / 30	12 / 30
Division g	2 / 5	5 / 10	2 / 5

SEZIONI I/O

- n° 2 RS 232 interfaces for connection to: PC, modem, scanner, cash register (the best known brands and models).
- n° 1 RS 485 interface for connection with up to 16 GP series' scales in a network.
- 868MHz radio module (optional) for connection to more than 5 scales in the local network.
- Ethernet connexion via cable (optional).
- Wireless connexion LAN (optional).

OPTIONS AND ACCESSORIES

- Bowl-shaped pan. Radio Module kit for the LAN connection. Ethernet connection kit via cable. Wireless connexion kit for the LAN.
- Cash register drawer opening. Column with customised height.

Available Versions

Code	Description	Price (€)
736510	Retail scale GP1TC, 6/15kg capacity, 2/5g division, external power supply 230Vac. Dual LCD backlit display, 80-key functional and printer equipped by cutter mounted on column.	2.470.00
736310	Retail scale GP1TC, 15/30kg capacity, 5/10g division, external power supply 230Vac. Dual LCD backlit display, 80-key functional and printer equipped by cutter mounted on column.	2.470.00
736110	Retail scale GP1TC, 12/30kg capacity, 2/5g division, external power supply 230Vac. Dual LCD backlit display, 80-key functional and printer equipped by cutter mounted on column.	2.600.00

Option (to be specified when ordering the scale)

Code	Description	Price (€)
810000	bowl-shaped pan RQ4S for scales with column.	90.00
810040	Radio Module Kit 868MHz factory fitted.	250.00
810050	Ethernet Interface Kit.	260.00
810080	Wireless Lan Kit.	430.00
810170	Opening of cash register drawer.	70.00
810190	Column height to measure.	250.00
810075	Blue backlit LCD display.	130.00

GP1 SERIES "LP" RETAIL SCALE fitted with a 150mm/sec printer/labeller

Scale with an elegant design, rugged, reliable, high quality raw materials. Equipped with a printer / labeller with the winder printing at high speed (up to 150mm/sec). The high connectivity that allows users to network up to 16 scales.

MAIN FEATURES

- Dual alphanumeric backlit blue LCD display, operator side and client side. High resolution and visibility even in poor lighting conditions, line for advertising messages or queue-system.
- Fast and accurate mechanical and touch keyboard, with 80 keys whose 40 PLU's with direct access (80 with dual access) and 40 functional keys.
- Thermal printer/labeller with automatic paper cutter (using with thermal paper). Print speed up to 150mm/sec, high quality printing, 8 dots/mm resolution. Print width up to 55 mm. Paper roll width max. 59.5 mm, outside diameter 80 mm.
- Extractable printer unit to make easier the paper charge.
- Structure:
 - Die-cast aluminium base;
 - Stainless steel structure and high quality polymer.
- Large-sized plate in stainless steel, with scotch brite finishing. Dimensions: 370 x 310 mm (L x W).
- 230Vac power supply, equipped with built-in batteries, rechargeable emergency 24Vdc.

FUNCTIONS

- Selectable operating modes: ticket, pricing-labelling, single article or self-service.
- Up to 20 programmable and selectable operators.
- Database of 3000 PLU's, 80 with direct access.
- Up to 50 PLU groups.
- Database of 8 possible preset tares and memory with up to 20 active tares selectable by the operators.
- Database of 300 ingredient lists.
- Database of 50 traceable products.
- Up to 4 VAT rates with a strips function.
- Up to 10 warning messages, configurable display mode.
- Up to 8 programmable payment modes.
- Storage and reopening of daily tickets.
- Cancellations, discounts, special offers, hourly sales reports, customer management.
- Total per seller, PLU and article groups in the short and long term.
- PLU priority.
- Prints logos, EAN13 and EAN8 bar codes, price tags with the total, lot, ice.
- Ability to program up to 3 password levels.
- Management of logos and firmware by the software



Capacity kg	6 / 15	15 / 30	12 / 30
Division g	2 / 5	5 / 10	2 / 5

SEZIONI I/O

- n° 2 RS 232 interfaces for connection to: PC, modem, scanner, cash register (the best known brands and models).
- n° 1 RS 485 interface for connection with up to 16 GP series' scales in a network.
- 868MHz radio module (optional) for connection to more than 5 scales in the local network.
- Ethernet connexion via cable (optional).
- Wireless connexion LAN (optional).

OPTIONS AND ACCESSORIES

- Bowl-shaped pan. Radio Module kit for the LAN connection. Ethernet connection kit via cable. Wireless connexion kit for the LAN.
- Cash register drawer opening. Column with customised height.

Available Versions

Code	Description	Price (€)
738510	Retail scale GP1LP, 6/15kg capacity, 2/5g division, external power supply 230Vac. Dual LCD backlit display, 80-key functional keypad. Printer/labeller with rewinder mounted on column.	2.600.00
738310	Retail scale GP1LP, 15/30kg capacity, 5/10g division, external power supply 230Vac. Dual LCD backlit display, 80-key functional keypad. Printer/labeller with rewinder mounted on column.	2.600.00
738110	Retail scale GP1LP, 12/30kg capacity, 2/5g division, external power supply 230Vac. Dual LCD backlit display, 80-key functional keypad. Printer/labeller with rewinder mounted on column.	2.730.00

Option (to be specified when ordering the scale)

Code	Description	Price (€)
810000	bowl-shaped pan RQ4S for scales with column.	80.00
810040	Radio Module Kit 868MHz factory fitted.	250.00
810050	Ethernet Interface Kit.	260.00
810080	Wireless Lan Kit.	430.00
810170	Opening of cash register drawer.	70.00
810190	Column height to measure.	250.00
810075	Blue backlit LCD display.	130.00

GP2 SERIES "SB" SELF-SERVICE SCALE with 160-key keypad



Capacity kg	6 / 15	12 / 30
Division g	2 / 5	2 / 5

SEZIONI I/O

- n° 2 RS 232 interfaces for connection to: PC, modem, scanner, cash register (the best known brands and models).
- n° 1 RS 485 interface for connection with up to 16 GP series' scales in a network.
- 868MHz radio module (optional) for connection to more than 5 scales in the local network.
- Ethernet connexion via cable (optional).
- Wireless connexion LAN (optional).

OPTIONS AND ACCESSORIES

- Bowl-shaped pan. Radio Module kit for the LAN connection. Ethernet connection kit via cable. Wireless connexion kit for the LAN.
- Cash register drawer opening. Column with customised height.

Available Versions

Code	Description	Price (€)
739510	Retail scale GP2SB, 6/15kg capacity, 2/5g division, external power supply 230Vac. Equipped by 160 key keyboard, dual backlit LCD display, built-in printer, a buffer battery.	3.060.00
739110	Retail scale GP2SB, 12/30kg capacity, 2/5g division, external power supply 230Vac. Equipped by 160 key keyboard, dual backlit LCD display, built-in printer, a buffer battery.	3.190.00

Option (to be specified when ordering the scale)

Code	Description	Price (€)
810000	bowl-shaped pan RQ4S for scales with column.	90.00
810040	Radio Module Kit 868MHz factory fitted.	250.00
810050	Ethernet Interface Kit.	260.00
810080	Wireless Lan Kit.	430.00
810170	Opening of cash register drawer.	70.00
810190	Column height to measure.	250.00

Self-service scale with 160-key keypad with customizable graphics and functions, direct access to PLU. Extremely rugged, accurate, high performing, ideal for shops and supermarkets.

MAIN FEATURES

- Dual alphanumeric backlit blue LCD display, operator side and client side. High resolution and visibility even in poor lighting conditions, line for advertising messages or queue-system.
- Fast and accurate mechanical and touch keyboard, 160 programmable keys as:
 - 160 PLU with direct access in self-service mode
 - 240 PLU with direct access with dual access for selling by vendors.
- 150mm/sec thermal printer/labeller, high quality printing, 8 dots/mm resolution, fitted with peel-off mechanism. Print width: up to 55 mm. Paper roll width max. 59.5 mm, outside diameter 80 mm.
- Extractable printer unit to make easier the paper charge.
- Structure:
 - Die-cast aluminium base;
 - Stainless steel structure and high quality polymer.
- Large-sized plate in stainless steel, with scotch brite finishing. Dimensions: 370 x 310 mm (L x W).
- 230Vac power supply, equipped with built-in batteries, rechargeable emergency 24Vdc.

FUNCTIONS

- Selectable operating modes: ticket, pricing-labelling, single article or self-service.
- Up to 20 programmable and selectable operators.
- Database of 3000 PLU's, 80 with direct access.
- Up to 50 PLU groups.
- Database of 8 possible preset tares and memory with up to 20 active tares selectable by the operators.
- Database of 300 ingredient lists.
- Database of 50 traceable products.
- Up to 4 VAT rates with a strips function.
- Up to 10 warning messages, configurable display mode.
- Up to 8 programmable payment modes.
- Storage and reopening of daily tickets.
- Cancellations, discounts, special offers, hourly sales reports, customer management.
- Total per seller, PLU and article groups in the short and long term.
- PLU priority.
- Prints logos, EAN13 and EAN8 bar codes, price tags with the total, lot, ice.
- Ability to program up to 3 password levels.
- Management of logos and firmware by the software

GP3 SERIES "LP" RETAIL SCALE fitted with a printer/labeller and paper cutter



Capacity kg	6 / 15	15 / 30	12 / 30
Division g	2 / 5	5 / 10	2 / 5

SEZIONI I/O

- n° 2 RS 232 interfaces for connection to: PC, modem, scanner, cash register (the best known brands and models).
- n° 1 RS 485 interface for connection with up to 16 GP series' scales in a network.
- 868MHz radio module (optional) for connection to more than 5 scales in the local network.
- Ethernet connexion via cable (optional).
- Wireless connexion LAN (optional).

OPTIONS AND ACCESSORIES

- Bowl-shaped pan. Radio Module kit for the LAN connection. Ethernet connection kit via cable. Wireless connexion kit for the LAN.
- Cash register drawer opening. Column with customised height.

Retail scale manufactured with high quality materials which guarantee sturdiness and durability over time. Fitted with a mechanical keyboard, fully customizable graphics, high sensitivity, which allow to quickly type the data.

MAIN FEATURES

- Dual alphanumeric backlit blue LCD display, operator side and client side. High resolution and visibility even in poor lighting conditions, line for advertising messages or queue-system.
- Fast and accurate mechanical and touch keyboard, with 80 keys whose 40 PLU's with direct access (80 with dual access) and 40 functional keys.
- Thermal printer/labeller with automatic paper cutter (using with thermal paper). Print speed up to 150mm/sec, high quality printing, 8 dots/mm resolution. Print width up to 55 mm. Paper roll width max. 59.5 mm, outside diameter 80 mm.
- Extractable printer unit to make easier the paper charge.
- Structure:
 - Die-cast aluminium base;
 - Stainless steel structure and high quality polymer.
- Large-sized plate in stainless steel, with scotch brite finishing. Dimensions: 370 x 310 mm (L x W).
- 230Vac power supply, equipped with built-in batteries, rechargeable emergency 24Vdc.

FUNCTIONS

- Selectable operating modes: ticket, pricing-labelling, single article or self-service.
- Up to 20 programmable and selectable operators.
- Database of 3000 PLU's, 80 with direct access.
- Up to 50 PLU groups.
- Database of 8 possible preset tares and memory with up to 20 active tares selectable by the operators.
- Database of 300 ingredient lists.
- Database of 50 traceable products.
- Up to 4 VAT rates with a strips function.
- Up to 10 warning messages, configurable display mode.
- Up to 8 programmable payment modes.
- Storage and reopening of daily tickets.
- Cancellations, discounts, special offers, hourly sales reports, customer management.
- Total per seller, PLU and article groups in the short and long term.
- PLU priority.
- Prints logos, EAN13 and EAN8 bar codes, price tags with the total, lot, ice.
- Ability to program up to 3 password levels.
- Management of logos and firmware by the software

Available Versions

Code	Description	Price (€)
743510	Retail scale GP3LP, 6/15kg capacity, 2/5g division, external power supply 230Vac. Dual backlit LCD display, 80-key keypad, printer/labeller with cutter. Brushed stainless steel head.	2.930.00
743310	Retail scale GP3LP, 15/30kg capacity, 5/10g division, external power supply 230Vac. Dual backlit LCD display, 80-key keypad, printer/labeller with cutter. Brushed stainless steel head.	2.930.00
743110	Retail scale GP3LP, 12/30kg capacity, 2/5g division, external power supply 230Vac. Dual backlit LCD display, 80-key keypad, printer/labeller with cutter. Brushed stainless steel head.	3.060.00

Option (to be specified when ordering the scale)

Code	Description	Price (€)
810000	bowl-shaped pan RQ4S for scales with column.	90.00
810040	Radio Module Kit 868MHz factory fitted.	250.00
810050	Ethernet Interface Kit.	260.00
810080	Wireless Lan Kit.	430.00
810170	Opening of cash register drawer.	70.00
810190	Column height to measure.	250.00

GP4 SERIES "LP" RETAIL SCALE with 150mm/sec labeller



Capacity kg	6 / 15	15 / 30	12 / 30
Division g	2 / 5	5 / 10	2 / 5

SEZIONI I/O

- n° 2 RS 232 interfaces for connection to: PC, modem, scanner, cash register (the best known brands and models).
- n° 1 RS 485 interface for connection with up to 16 GP series' scales in a network.
- 868MHz radio module (optional) for connection to more than 5 scales in the local network.
- Ethernet connexion via cable (optional).
- Wireless connexion LAN (optional).

OPTIONS AND ACCESSORIES

- Bowl-shaped pan.
- External 120-key keypad.
- Radio Module kit for the LAN connection.
- Ethernet connection kit via cable.
- Wireless connexion kit for the LAN.
- Cash register drawer opening.

Pricing/labelling compact scale, elegant design, very versatile. Easy to program thanks to a very easy-to-use software. It is designed for quickening the processing of packed goods.

MAIN FEATURES

- Dual alphanumeric backlit blue LCD display, operator side and client side. High resolution and visibility even in poor lighting conditions, line for advertising messages or queue-system.
- Fast and accurate mechanical and touch keyboard, with 80 keys whose 40 PLU's with direct access (80 with dual access) and 40 functional keys.
- 150mm/sec thermal labeller, high quality printing, 8 dots/mm resolution.
Print width: up to 55 mm.
Paper roll width max. 59.5 mm, outside diameter 80 mm.
- Extractable printer unit to make easier the paper charge.
- Painted stainless steel structure.
- Large-sized plate in stainless steel, with scotch brite finishing. Dimensions: 370 x 310 mm (L x W).
- 230Vac power supply, equipped with built-in batteries, rechargeable emergency 24Vdc.

FUNCTIONS

- Selectable operating modes: ticket, pricing-labelling, single article or self-service.
- Up to 20 programmable and selectable operators.
- Database of 3000 PLU's, 80 with direct access.
- Up to 50 PLU groups.
- Database of 8 possible preset tares and memory with up to 20 active tares selectable by the operators.
- Database of 300 ingredient lists.
- Database of 50 traceable products.
- Up to 4 VAT rates with a strips function.
- Up to 10 warning messages, configurable display mode.
- Up to 8 programmable payment modes.
- Storage and reopening of daily tickets.
- Cancellations, discounts, special offers, hourly sales reports, customer management.
- Total per seller, PLU and article groups in the short and long term.
- PLU priority.
- Prints logos, EAN13 and EAN8 bar codes, price tags with the total, lot, ice.
- Ability to program up to 3 password levels.
- Management of logos and firmware by the software

Available Versions

Code	Description	Price (€)
747510	Retail scale GP4LP, 6/15kg capacity, 2/5g division, external power supply 230Vac. Dual LCD backlit display, 80-key keypad. Stainless steel painted.	2.600.00
747310	Retail scale GP4LP, 15/30kg capacity, 5g division, external power supply 230Vac. Dual LCD backlit display, 80-key keypad. Stainless steel painted.	2.600.00
747110	Retail scale GP4LP, 12/30kg capacity, 2/5g division, external power supply 230Vac. Dual LCD backlit display, 80-key keypad. Stainless steel painted.	2.730.00

Option (to be specified when ordering the scale)		
Code	Description	Price (€)
810010	"Svizzera" bowl-shaped pan.	90.00
810030	120- keys external keyboard.	910.00
810200	Icons holder for external keyboard LS 120.	60.00
810040	Radio Module Kit 868MHz factory fitted.	250.00
810050	Ethernet Interface Kit.	260.00
810080	Wireless Lan Kit.	430.00
810170	Opening of cash register drawer.	70.00
810210	Steel protection for GP4 scale keyboard.	30.00
810196	Version with lacquered steel structure.	CALL

Scale configuration in self-service application, with LS120 external keyboard with 120 programmable keys for direct access to PLU. Hard structure in painted stainless steel.



GP 4 "LS12" SERIES 12-key self-selection RETAIL SCALE



Self-service scale, extremely easy to use. The keyboard with 12 large keys allows for a quick selection of the product, by typing the PLU code.

MAIN FEATURES

- Dual alphanumeric blue backlit LCD display. Very clear and visible.
- 12-key mechanical keyboard for the quick selection of the product, hidden 80-key mechanical keyboard for the eventual management of the programming or the use not in self-service mode.
- 150mm/sec labeller, high quality printing, 8 dots/mm resolution.
Print width: up to 55 mm.
Paper roll width max. 59.5 mm, outside diameter 80 mm.
- Extractable printer unit to make easier the paper charge.
- Painted stainless steel structure.
- Large-sized plate in stainless steel, with scotch brite finishing. Dimensions: 370 x 310 mm (L x W).
- 230Vac power supply, equipped with built-in batteries, rechargeable emergency 24Vdc.

FUNCTIONS

- Selectable operating modes: ticket, pricing-labelling, single article or self-service.
- Up to 20 programmable and selectable operators.
- Database of 3000 PLU's, 80 with direct access.
- Up to 50 PLU groups.
- Database of 8 possible preset tares and memory with up to 20 active tares selectable by the operators.
- Database of 300 ingredient lists.
- Database of 50 traceable products.
- Up to 4 VAT rates with a strips function.
- Up to 10 warning messages, configurable display mode.
- Up to 8 programmable payment modes.
- Storage and reopening of daily tickets.
- Cancellations, discounts, special offers, hourly sales reports, customer management.
- Total per seller, PLU and article groups in the short and long term.
- PLU priority.
- Prints logos, EAN13 and EAN8 bar codes, price tags with the total, lot, ice.
- Ability to program up to 3 password levels.
- Management of logos and firmware by the software

Capacity kg	6 / 15	12 / 30
Division g	2 / 5	2 / 5

SEZIONI I/O

- n° 2 RS 232 interfaces for connection to: PC, modem, scanner, cash register (the best known brands and models).
- n° 1 RS 485 interface for connection with up to 16 GP series' scales in a network.
- 868MHz radio module (optional) for connection to more than 5 scales in the local network.
- Ethernet connexion via cable (optional).
- Wireless connexion LAN (optional).

OPTIONS AND ACCESSORIES

- Bowl-shaped pan.
- Radio Module kit for the LAN connection.
- Ethernet connection kit via cable.
- Wireless connexion kit for the LAN.
- Cash register drawer opening.

Available Versions

Code	Description	Price (€)
746530	Retail scale GP4LS12, 6/15kg capacity, 2/5g division, external power supply 230Vac, keyboard equipped with 12 mechanical large sized keys	3.060.00
746130	Retail scale GP4LS12, 12/30kg capacity, 2/5g division, external power supply 230Vac, keyboard equipped with 12 mechanical large sized keys	3.190.00

Option (to be specified when ordering the scale)

Code	Description	Price (€)
810010	"Svizzer" bowl-shaped pan.	90.00
810040	Radio Module Kit 868MHz factory fitted.	250.00
810050	Ethernet Interface Kit.	260.00
810080	Wireless Lan Kit.	430.00
810170	Opening of cash register drawer.	70.00